

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	(nakajima and yoshi and atsushi).in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 17:32
S2	0	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and ((VOIP or (voice over IP)).ti. or (VOIP or (voice over IP)).ab.) and (relay same gateway) and (exit same gateway) and (NAT or (network address translat\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 17:35
S3	58	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and ((VOIP or (voice over IP)).ti. or (VOIP or (voice over IP)).ab.) and gateway and (NAT or (network address translat\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 13:24
S4	31	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and ((VOIP or (voice over IP)).ti. or (VOIP or (voice over IP)).ab.) and gateway and (NAT or (network address translat\$4)) and (call near5 set\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 17:52
S5	2	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and gateway and (NAT or (network address translat\$4)) and (call near5 set\$5) and ((VOIP or (voice or IP) or phone or telephone or terminal) with (assign\$5 or allot\$5 or giv\$5) with IP) and (duplicate adj3 network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/28 18:11

## EAST Search History

S6	0	(duplicat\$5 same voip or vo adj1 ip)".ab" and (@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 13:25
S7	3	(duplicat\$5 same (voip or vo adj1 ip)).ab. and (@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 13:27
S8	3	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (((voip or vo adj1 ip) with private near2 address\$5) same (gateway with private near2 address\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 15:40
S9	1	(US-6772210-\$).did.	USPAT	OR	OFF	2008/02/03 13:34
S10	1	S9 and (private\$3 public gateway\$2)	USPAT	OR	OFF	2008/02/03 13:35
S11	14	("5537412"   "5856974"   "6185204"   "6307931"   "6381646"   "6400719"   "6418210"   "6470010"   "6584094").PN. OR ("6772210").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/03 13:43
S12	14	(US-5537412-\$ or US-5856974-\$ or US-6185204-\$ or US-6307931-\$ or US-6381646-\$ or US-6400719-\$ or US-6418210-\$ or US-6470010-\$ or US-6584094-\$ or US-6834311-\$ or US-6856617-\$ or US-6961775-\$ or US-7260084-\$ or US-7305477-\$). did.	USPAT	OR	OFF	2008/02/03 13:45
S13	1	S12 and (gateway\$2 and nat and private near3 address\$2 and (call or voip))	USPAT	OR	OFF	2008/02/03 13:59
S14	2	S12 and (gateway\$2 and nat and private near3 address\$2)	USPAT	OR	OFF	2008/02/03 14:01
S15	4	S12 and (gateway\$2 and (network address translat\$5) and private near3 address\$2)	USPAT	OR	OFF	2008/02/03 14:01
S16	2	S12 and (gateway\$2 and (network adj address adj translat\$5 or nat) and private near3 address\$2)	US-PGPUB; USPAT	OR	OFF	2008/02/03 14:01
S17	1	(US-6772210-\$).did.	USPAT	OR	OFF	2008/02/03 15:23
S18	1	S17 and (private\$2)	USPAT	OR	OFF	2008/02/03 15:24

## EAST Search History

S19	1	S17 and (private\$2 and gateway\$2)	USPAT	OR	OFF	2008/02/03 15:26
S20	1	S17 and (private\$2 near2 address\$2 and gateway\$2)	USPAT	OR	OFF	2008/02/03 15:26
S21	143	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gateway with private near1 address\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 15:46
S22	52	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gateway with private near1 address\$2) same (nat)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:04
S23	2	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (duplicate private network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 15:51
S24	3	(duplicate private network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 15:51
S25	52	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gateway with private near1 address\$2) same (nat) and (gateway with private near1 address\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:18
S26	10	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (primary near1 lan same (secondar\$5 or second\$5) near1 lan same gateway)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:20
S27	58	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (primary near1 lan same (secondar\$5 or second\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:24

## EAST Search History

S28	1	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (primary near1 lan same (second\$5 or second\$5)) same private	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:25
S29	2	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (primary near3 private near2 (network\$2)) same (second\$5 near3 private near2 (network\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:27
S30	214	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (first near3 private near2 (network\$2)) same (second\$5 near3 private near2 (network\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:38
S31	17	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (first near3 private near2 (network\$2)) same (second\$5 near3 private near2 (network\$2)) same gateway\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:27
S32	8	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (first near3 private near2 ( lan or local area network)) same (second\$5 near3 private near2 (lan or local area network))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:43
S33	248	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gatekeeper same gateway same lan)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:51

## EAST Search History

S34	0	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gatekeeper same gateway same lan same (private near2 address with gateway))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:51
S35	3	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gatekeeper same gateway same lan and (private near2 address with gateway))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/03 16:51
S36	612	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (gatekeeper\$2 same gateway\$2 same (terminal or phone))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 08:32
S37	436	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (gatekeeper\$2 with gateway\$2 with (terminal\$2 or phone\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 20:54
S38	3	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (gatekeeper\$2 with gateway\$2 with (terminal\$2 or phone\$2)) and (gateway\$2 with private ip address\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 20:55
S39	3	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (gatekeeper\$2 same gateway\$2 same(terminal\$2 or phone\$2)) and (gateway\$2 with private ip address\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 20:57

## EAST Search History

S40	12	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (gatekeeper\$2 same gateway\$2 same(terminal\$2 or phone\$2)) and (gateway\$2 with private ip )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/05 20:57
S41	1	(US-20030033418-\$).did.	US-PGPUB	OR	OFF	2008/02/05 21:42
S42	1	(US-20030033418-\$).did.	US-PGPUB	OR	OFF	2008/02/05 21:51
S43	1	S42 and private	US-PGPUB	OR	OFF	2008/02/05 21:51
S44	1	(US-20030033418-\$).did.	US-PGPUB	OR	OFF	2008/02/06 08:30
S45	1	S44 and (private\$2)	US-PGPUB	OR	OFF	2008/02/06 08:30
S46	0	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (gatekeeper\$2 same gateway\$2 same (terminal or phone)) same private\$@	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 08:32
S47	51	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (gatekeeper\$2 same gateway\$2 same (terminal or phone)) same private\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 08:42
S48	152	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (private (network\$2 or lan) same (second\$2 or another) private (network or lan))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 09:34
S49	3	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (private (network\$2 or lan) same (second\$2 or another) private (network or lan)) same (voip or phone)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 08:45
S50	1	(US-20010026545-\$).did.	US-PGPUB	OR	OFF	2008/02/06 08:52
S51	1	S44 and private	US-PGPUB	OR	OFF	2008/02/06 09:03
S52	1	S50 and private	US-PGPUB	OR	OFF	2008/02/06 09:03

## EAST Search History

S53	2	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and private lan and private near2 address\$2 with (router\$2 or hub\$2 or gateway\$2) and gatekeeper\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/06 09:36
S54	1	(US-20030093563-\$).did.	US-PGPUB	OR	OFF	2008/02/06 09:40
S55	1	S54 and private	US-PGPUB	OR	OFF	2008/02/06 09:41
S56	3780	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (private ip with gateway\$2 or gatekeeper\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 19:13
S57	236	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (private ip with (gateway\$2 or gatekeeper\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 19:14
S58	71	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (private ip with (gateway\$2 or gatekeeper\$2)) and (private ip with (terminal\$2 or phone\$2 or telephone\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 19:15
S59	15	(@ad<="20031117" or @pd<="20031117" or @rlan<="20031117" or @rlad<="20031117" or @rlpn<="20031117") and (private ip with (gateway\$2 or gatekeeper\$2)) and (private ip with (terminal\$2 or phone\$2 or telephone\$2)) and (router\$2 with private Ip)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 19:31
S60	1	(US-20020085561-\$).did.	US-PGPUB	OR	OFF	2008/02/07 19:46
S61	0	S60 and terminal\$@	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 19:47

## EAST Search History

S62	1	S60 and terminal\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 19:47
S63	1	("2006/0018308").URPN.	USPAT	OR	OFF	2008/02/07 22:23
S64	1	(US-7327721-\$).did.	USPAT	OR	OFF	2008/02/07 22:24
S65	1	S64 and private\$2	USPAT	OR	OFF	2008/02/07 22:24
S66	1	(US-20060018308-\$).did.	US-PGPUB	OR	OFF	2008/02/07 22:31
S67	0	S66 and number\$2	USPAT	OR	OFF	2008/02/07 22:31
S68	2	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and primary near3 private near2 network\$2 same second\$5 near3 private near2 network\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 22:50
S69	214	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (first) near3 private near2 network\$2 same second\$5 near3 private near2 network\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 22:51
S70	70	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and ((first) near3 private near2 network\$2) same (second\$5 near3 private near2 network\$2) not virtual\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/07 22:52
S71	1	(US-20020085561-\$).did.	US-PGPUB	OR	OFF	2008/02/07 22:57
S73	1	S71 and public ip	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/07 22:58
S74	1	(US-20020101860-\$).did.	US-PGPUB	OR	OFF	2008/02/07 23:12
S75	1	S74 and (private ip)	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/07 23:12



## EAST Search History

S76	262	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gatekeeper\$2 same gateway\$2 same LAN\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 18:43
S77	186	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gatekeeper\$2 same gateway\$2 same LAN\$2 same (terminal\$2 or phone\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 18:44
S78	11	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gatekeeper\$2 same gateway\$2 same LAN\$2 same (terminal\$2 or phone\$2) same private)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 18:44
S79	178	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gatekeeper\$2 same gateway\$2 same LAN same (terminal\$2 or phone\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 20:41
S80	178	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gatekeeper\$2 same gateways same LAN same (terminal\$2 or phone\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 20:58
S81	1	("6907032").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/08 21:24
S82	1	(US-20020018476-\$).did.	US-PGPUB	OR	OFF	2008/02/08 21:37
S83	0	S82 and (private\$2 and lan)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/08 21:38
S84	0	S82 and (private\$2 )	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/08 21:38

## EAST Search History

S85	14	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (private ip with router same (gateway\$2 or gatekeeper\$2) same (terminal\$2 or phone\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 23:27
S86	5	("2002/0085561").URPN.	USPAT	OR	OFF	2008/02/08 23:37
S87	10	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (gatekeeper\$2 same gateways same LAN same (terminal\$2 or phone\$2) same private)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 23:42
S88	223	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and ( gateways same LAN same (terminal\$2 or phone\$2) same private)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 23:43
S89	53	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and ( gateways same private near4 LAN same (terminal\$2 or phone\$2) same private)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/08 23:44
S90	14	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and ( (gateway\$2 or gatekeeper\$2) same (private ip with router\$2) same (telephone\$2 or phone\$2 or terminal\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/09 00:01
S91	1	(US-20030033418-\$).did.	US-PGPUB	OR	OFF	2008/02/09 00:10
S92	9	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and ( gateways same private ip near5 router\$2 same (terminal\$2 or phone\$2 or telephone\$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/09 01:18

## EAST Search History

S93	1	(US-20010022784-\$).did.	US-PGPUB	OR	OFF	2008/02/09 01:23
S94	0	S93 and private and AR and WARP and BTS	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/09 01:23
S95	1	S93 and private	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/09 01:24
S96	3	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (two or duplicate) private lan\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/09 01:26
S97	7	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and (two or duplicate) private near4 (lan\$2 or local area network\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/09 01:30
S98	1	(US-20040022258-\$).did.	US-PGPUB	OR	OFF	2008/02/09 01:35
S99	1	S98 and private ip	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/09 01:35
S10 0	0	(2002/0010799).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/09 01:38
S10 1	1	("20020010799").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/09 01:38
S10 2	1	(US-20020010799-\$).did.	US-PGPUB	OR	OFF	2008/02/09 01:39
S10 3	0	S102 and private and ip	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/09 01:40
S10 4	0	S102 and private	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/09 01:40

## EAST Search History

S10 5	0	S102 and publick	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/09 01:41
S10 6	0	S102 and public	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/09 01:41
S10 7	1	("6425008").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 14:28
S10 8	1	("7047314").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 14:29
S10 9	1	(US-6425008-\$).did.	USPAT	OR	OFF	2008/02/10 14:41
S11 0	0	("3and(private)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 14:42
S11 1	1	S109 and private\$2	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/10 14:42
S11 2	0	S109 and private\$2 and public\$@	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/10 14:43
S11 3	1	S109 and private\$2 and public\$2	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/10 14:43
S11 4	9	("5204955"   "5768501"   "5856974"   "6000045"   "6006272"   "6119171").PN. OR ("6425008"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 14:51
S11 5	9	(US-5204955-\$ or US-5768501-\$ or US-5856974-\$ or US-6000045-\$ or US-6006272-\$ or US-6119171-\$ or US-6826627-\$ or US-6917626-\$ or US-7185097-\$).did.	USPAT	OR	OFF	2008/02/10 14:53
S11 6	3	S115 and private\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 14:54
S11 7	2	S115 and private\$2 and public\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 15:32

## EAST Search History

S118	2	S115 and public\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 15:34
S119	1	(US-6917626-\$).did.	USPAT	OR	OFF	2008/02/10 15:53
S120	1	S107 and (router\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 15:53
S121	1	(US-6425008-\$).did.	USPAT	OR	OFF	2008/02/10 15:54
S122	1	S121 and public\$2 and private\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 15:55
S123	1	(US-6917626-\$).did.	USPAT	OR	OFF	2008/02/10 15:56
S124	1	S123 and private\$2 and public\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 15:57
S125	1	S123 and private\$2 and public\$2 and nat and ip	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/10 15:57
S126	1	(US-20020010799-\$).did.	US-PGPUB	OR	OFF	2008/02/10 17:00
S127	0	S126 and private\$2	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/10 17:00
S128	15	(US-20020075844-\$ or US-20020085561-\$ or US-20020101860-\$ or US-20020116502-\$ or US-20030033418-\$ or US-20030093563-\$).did. or (US-6351526-\$ or US-6381646-\$ or US-6400719-\$ or US-6425008-\$ or US-6772210-\$ or US-6856617-\$ or US-6907032-\$ or US-6917626-\$ or US-7047314-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/10 17:04
S129	15	S128 and (number\$2 or phonenum\$2)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/10 17:05
S130	1	(US-20020085561-\$).did.	US-PGPUB	OR	OFF	2008/02/10 17:37
S131	1	S130 and caller\$2	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/10 17:37

## EAST Search History

S13 2	15	(US-20020075844-\$ or US-20020085561-\$ or US-20020101860-\$ or US-20020116502-\$ or US-20030033418-\$ or US-20030093563-\$).did. or (US-6351526-\$ or US-6381646-\$ or US-6400719-\$ or US-6425008-\$ or US-6772210-\$ or US-6856617-\$ or US-6907032-\$ or US-6917626-\$ or US-7047314-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/10 20:20
S13 3	8	S132 and (number\$2 or phonenum\$2) and nat	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/10 20:20
S13 4	15	(US-20020116502-\$ or US-20030093563-\$ or US-20020101860-\$ or US-20030033418-\$ or US-20020075844-\$ or US-20020085561-\$).did. or (US-6772210-\$ or US-6381646-\$ or US-6400719-\$ or US-6856617-\$ or US-6351526-\$ or US-6907032-\$ or US-7047314-\$ or US-6425008-\$ or US-6917626-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/10 20:44
S13 5	4	S134 and (private ip with (terminal\$2 or phone\$2 or telephone\$2))	US-PGPUB; USPAT; EPO; DERWENT	ADJ	OFF	2008/02/10 20:44
S13 6	11	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and ((assign\$2 or allocat\$5) with private ip with (telephone\$2 or phone\$2 or terminal\$2) with gateway\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/10 21:04
S13 7	0	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and ((request\$5) with private ip with (telephone\$2 or phone\$2 or terminal\$2) with gateway\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/10 21:42

## EAST Search History

S13 8	27	(@ad<="20021116" or @pd<="20021116" or @rlan<="20021116" or @rlad<="20021116" or @rlpn<="20021116") and ((request\$5) with private ip with gateway\$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/10 21:43
----------	----	--	--	-----	----	------------------

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	97	370/271.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/14 16:40
L2	7908	370/352-356.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2008/02/14 16:41